

## Axminster 7 x 9 Quality Specification

Type:	Machine Made Axminster Carpet
Fiber Content:	Wool (80%) & Nylon (20%)
Yarn Count:	660/2 tex (2/47s Dewsbury)
Pitch & Beat up:	7x9
Effective Pile Height:	0.315 inch / 8 mm
Total Carpet Thickness:	0.394 inch / 9.1 mm
Pile Weight:	1435 g/m <sup>2</sup>
Total Weight:	2435 g/m <sup>2</sup>
Dyeing Method :	Skein Dyeing
Dyestuff :	Top Quality Supplied By American Company Huntsman
Moth-proofing:	Mystox CMP
Pile Construction:	Full Cut
Weft Backing:	Polypropylene
Chain Backing:	Cotton and Polyester
Latex Coating:	BASF SBR Fray Resistant Latex Compound
Latex Weight:	Around 360 grams/sq.m
WIRA Abrasion To End Point:	More than 12000 rubs
Carpet Traffic Classification:	Medium Heavy Traffic For Commercial
Classification For Critical Radiant Flux:	ASTM E648 or Equivalent Class 1
Tuft Binding:	More Than 10 Newton
Oil Content:	Less Than 2%
Moth Resistance:	Class 5
Color Fastness To Light:	Class 5 (ISO 105-B02)
Color Fastness To Dry Rubbing:	Min Class 4 (ISO105-X12)
Static Resistance:	Less Than 3.5 KV
Static Loading Test:	85% Recovery After 24 Hours
Dynamic Loading Test:	Less Than 15% Thickness Loss After 1000 Impacts
Hexapod Test:	Min Class 3 After 12000 Turns
Durability and Fiber Integrity:	Average Weight Loss Than 42.5mg/1000cycles
Hot Metal Nut Test:	BS4790
Methenamine Tablet Test:	BS6307
Smoke Density:	DM Less Than 327
Green Label:	CRI
Country of Origin:	China

**Note:**

- 1) Since products are custom made, slight variations against specifications are expected.



## Warranties

Warranty and cleaning information available upon request